

Tube, Pull

Weima Original

T11—Tube, Pull

The drawpipe is a standard part of the moving bobbin pump. Material selection is seamless steel tube, the surface can be chrome plated or other anticorrosive hardening treatment

Part No.	API No.
T11-125 (XX)	T11-125
T11-150 (XX)	T11-150
T11-200 (XX)	T11-200
T11-225 (XX)	T11-225

Note:

- 1) “XX” is Material identification symbol;



1. Pump Material for Tube, Pull

Identification Symbol	Description	Base core hardness	Base material	Base Material Minimum Yield Strength MPa (ksi)
A1	Steel	90HRB~23HRC	UNS G10XX0	345 (50)
A2	Low Alloy Steel	90HRB~23HRC	UNS G41XX0	345 (50)
A3	Low Alloy Steel	90HRB~23HRC	UNS G86XX0	345 (50)
A4	Ni-cu Alloy	83HRB~23HRC	UNS N04400	345 (50)
C5	Brass	60HRB~90HRB	UNS C46400	276 (40)
C6	Stainless steel	79HRB~23HRC	UNS S30400	241 (35)



2. Pull Tube Length, PL

Nominal Barrel Length Minus Nominal Plunger Length ft(m)	Actual Length		
	For 1 1/4in Bore Pumps in.(m)	For 1 1/2,1 3/4 and 2in Bore Pumps in.(m)	For 2 1/4 and 2 1/2in Bore Pumps in.(m)
6(1.829)	63(1.600)	62(1.575)	60(1.524)
7(2.134)	75(1.905)	74(1.880)	72(1.829)
8(2.438)	87(2.210)	86(2.184)	84(2.134)
9(2.743)	99(2.515)	98(2.489)	96(2.438)
10(3.048)	111(2.819)	110(2.794)	108(2.743)
11(3.353)	123(3.124)	122(3.099)	120(3.048)
12(3.658)	135(3.429)	134(3.404)	132(3.353)
13(3.962)	147(3.734)	146(3.708)	144(3.658)
14(4.267)	159(4.039)	158(4.013)	156(3.962)
15(4.572)	171(4.343)	170(4.318)	168(4.267)
16(4.877)	183(4.648)	182(4.623)	180(4.572)
17(5.182)	195(4.953)	194(4.928)	192(4.877)
18(5.486)	207(5.258)	206(5.232)	204(5.182)
19(5.791)	219(5.563)	218(5.537)	216(5.486)
20(6.096)	231(5.867)	230(5.842)	228(5.791)
21(6.401)	243(6.172)	242(6.147)	240(6.096)
22(6.706)	255(6.477)	254(6.452)	252(6.401)
23(7.010)	267(6.782)	266(6.756)	264(6.706)
24(7.315)	279(7.087)	278(7.061)	276(7.010)
25(7.620)	291(7.391)	290(7.366)	288(7.315)
26(7.925)	303(7.696)	302(7.671)	300(7.620)
27(8.230)	315(8.001)	314(7.976)	312(7.925)
28(8.534)	327(8.306)	326(8.280)	324(8.230)
29(8.839)	339(8.611)	338(8.585)	336(8.534)
30(9.144)	351(8.915)	350(8.890)	348(8.839)

Notes: Nominal barrel length including extensions on heavy wall barrels.



威马股份
WEIMA OIL & GAS LIFTING

Tel: 0086 531-75919863

Fax: 0086 531-78856601

Website: www.sdweima.com

Email: weima@sdweima.com